

MEETING MINUTES OF THE DOVER BOARD OF HEALTH - OCTOBER 4, 2021

Held remotely via zoom

Present: Professor Gerald Clarke, Chair; Stephen Kruskall, M.D., member; Kay Petersen, M.D., Member; Agent Michael Angieri, Septic Systems; Agent Felix Zemel, Wells

Guests: Anne Feen, John Shellberger, Daniel McIntyre, Kathy Horigan Dye, Paul Parsons

1. Meeting called to order 7:00 pm
2. Dr. Kruskall made a motion, seconded by Dr. Petersen, to approve the meeting minutes of September 13, 2021. The motion passed unanimously.
3. Septic Systems:
 - 17 Centre - A motion was made by Professor Clarke and seconded by Dr. Kruskall to approve septic system design plans dated September 12, 2021 for a FAST System sized for a garbage grinder for a new 5 bedroom house on a previously developed lot, subject to the owners signing the deed covenant and final review by the Septic Systems Agent. The motion passed unanimously.
 - 73 Main - A motion was made by Dr. Kruskall and seconded by Dr. Petersen to approve septic system design plans dated September 20, 2021 for a FAST System for a 3 bedroom house with no garbage grinder subject to the owner signing the deed covenant and final review by the Septic Systems Agent. The motion passed unanimously.
 - 4 Sterling - A motion was made by Dr. Kruskall and seconded by Dr. Petersen to approve septic system design plans dated September 20, 2021 for a Mantis System for a new 5 bedroom house sized for a garbage grinder subject to the owners signing the deed covenant and final review by the Septic Systems Agent. The motion passed unanimously.
 - 1 Tubwreck - A motion was made by Dr. Petersen and seconded by Dr. Kruskall to approve septic system design plans dated September 24, 2021 for an Elgen System for an existing 4 bedroom house and no garbage grinder subject to the owners signing the deed covenant and final review by the Septic Systems Agent. The motion passed unanimously.
4. Wells:
 - 5 Wilson's Way - Well is being fracked
 - 17 Centre - New well permit application has been issued
 - 18 Farm - An irrigation well permit has been issued.

5. There was a discussion of manganese levels and other issues at Colonial Water, followed by a discussion of allowing large property owners to drill a well on their properties and disconnect from Colonia Water provided that all applicable regulations are met.
6. A motion was made by Dr. Petersen and seconded by Dr. Kruskall to have Kate O'Brien offer applicant Baldwin-Lyons the position of temporary part-time administrative assistant. The motion passed unanimously.
7. A motion was made by Dr. Petersen and seconded by Dr. Kruskall to revise the language for school vaccine mandate by replacing 'Dover Sherborn Regional Schools' with 'all public schools in Dover and Sherborn'.
8. A motion was made by Professor Clarke and seconded by Dr. Kruskall to approve the draft exemption policy for the mask mandate. The motion passed unanimously.
9. On a roll call vote, Professor Clarke - aye; Dr. Kruskall - aye; Dr. Petersen - aye; the Board moved to go into Executive Session to discuss current litigation. On a roll call vote, Professor Clarke - aye; Dr. Krukall - aye; Dr. Petersen - aye; the Board moved to return to open session.
10. Deer Hunt update:
 - Hunters have their tags
 - Youth Hunt is October 2
 - Hunting season begins October 4, 2021.
11. Several concerns were expressed regarding the transfer station:
 - Lack of access to hot water
 - No porta-potties
 - Keeping the epi-pens up to date and readily available
12. At 9:33 pm it was moved and seconded to adjourn the meeting. The motion was approved unanimously.

Documents and Exhibits Used During this Meeting:

Draft BOH meeting minutes of September 13, 2021

Draft revised language for the vaccine mandate in Dover and Dover-Sherborn public schools

Draft exemption policy for the mask mandate order

Proposed Plans:

- 17 Centre - plans dated 9/12/21 and a deed covenant
- 73 Main - plans dated 9/20/21 and a deed covenant
- 4 Sterling - plans dated 9/20/21
- 1 Tubwreck - plans dated 9/24/21 and a deed covenant