



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

A. Facility Information

Robert Recchia

Owner Name

Troutbrook Rd

Street Address

Dover

City

MA
State

Map 5, Lot 11 – Lot 1 on Site Plan

Map/Lot #

02030

Zip Code

B. Site Information

1. (Check one) New Construction Upgrade

2. Soil Survey NRCS WebSoilSurvey Sudbury fine loamy sand 260B
Source Soil Map Unit Soil Series

Outwash Plains
Landform

Depth to restrictive feature: 18 to 36 inches to strongly contrasting textural stratification
Soil Limitations

Friable coarse-loamy eolian deposits over loose sandy glaciofluvial deposits

Soil Parent material

3. Surficial Geological Report 2018, Stone Flood-plain alluvium
Year Published/Source Map Unit

Sand, gravel, silt and some organic material, stratified and well sorted to poorly sorted, beneath the flood plains of modern streams

Description of Geologic Map Unit:

4. Flood Rate Insurance Map Within a regulatory floodway? Yes No

5. Within a velocity zone? Yes No

6. Within a Mapped Wetland Area? Yes No If yes, MassGIS Wetland Data Layer:

7. Current Water Resource Conditions (USGS): 10/5/2022 Range: Above Normal Normal Below Normal
Month/Day/ Year

8. Other references reviewed:
(Zone II, IWPA, Zone A, EEA Data Portal, etc.) MA-DVW 10R DOVER, MA U.S. Geological Survey



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

C. On-Site Review (minimum of two holes required at every proposed primary and reserve disposal area)

Deep Observation Hole Number:	TP1-5 Hole #	10/5/2022 Date	2:55 PM Time	Partly Raining Weather	-71.28645 Latitude	42.26097 Longitude
1. Land Use	Woodland, vacant lot (e.g., woodland, agricultural field, vacant lot, etc.)	Trees and Shrubs Vegetation	None	Surface Stones (e.g., cobbles, stones, boulders, etc.)		
Description of Location: Northwest side of the parcel (closer to Troutbrook Road)						
2. Soil Parent Material:	coarse-loamy eolian over sandy glaciofluvial deposits	Outwash Plains Landform	Plain Position on Landscape (SU, SH, BS, FS, TS, Plain)			
3. Distances from:	Open Water Body 50+ feet	Drainage Way 50+ feet	Wetlands 50+ feet			
	Property Line 10+ feet	Drinking Water Well 100+ feet	Other _____ feet			
4. Unsuitable Materials Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes: <input type="checkbox"/> Disturbed Soil/Fill Material <input type="checkbox"/> Weathered/Fractured Rock <input type="checkbox"/> Bedrock					
5. Groundwater Observed:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		If yes: _____ Depth to Weeping in Hole	66" Depth to Standing Water in Hole		

Soil Log

Depth (in)	Soil Horizon /Layer	Soil Texture (USDA)	Soil Matrix: Color-Moist (Munsell)	Redoximorphic Features			Coarse Fragments % by Volume		Soil Structure	Soil Consistence (Moist)	Other
				Depth	Color	Percent	Gravel	Cobbles & Stones			
0-18	Fill	NA	NA		Cnc :				NA	NA	
					Dpl:						
18-26	Ab	Sandy Loam	10YR2/1		Cnc :				Granular	Friable	
					Dpl:						
26-76	C1	Fine Loamy Sand	5Y7/1	26	Cnc : 7.5YR5/8	35%			Single Grain	Loose	
					Dpl:						
					Cnc :						
					Dpl:						
					Cnc :						
					Dpl:						
					Cnc :						
					Dpl:						



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

Additional Notes:

No Refusal. Alternatively the Fill layer would be deducted from the depth of the Soil Horizons.

C. On-Site Review (minimum of two holes required at every proposed primary and reserve disposal area)

Deep Observation Hole Number:	TP1-7	Date	10/5/2022	Time	2:55 PM	Weather	Partly raining, high 50s	Latitude	42.26097	Longitude	-71.28645
Hole #											
1. Land Use:	Woodland, vacant lot (e.g., woodland, agricultural field, vacant lot, etc.)	Trees and Shrubs		None							1%
		Vegetation		Surface Stones (e.g., cobbles, stones, boulders, etc.)							Slope (%)
Description of Location: northwest side of parcel (closer to Troutbrook Rd)											
2. Soil Parent Material:	coarse-loamy eolian over sandy glaciofluvial deposits	Landform	Outwash plains	Plain	Position on Landscape (SU, SH, BS, FS, TS, Plain)						
3. Distances from:	Open Water Body	50+	feet	Drainage Way	50+	feet	Wetlands	50+	feet		
	Property Line	10+	feet	Drinking Water Well	100+	feet	Other				feet
4. Unsuitable Materials Present:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	If Yes:	<input type="checkbox"/> Disturbed Soil/Fill Material	<input type="checkbox"/> Weathered/Fractured Rock	<input type="checkbox"/> Bedrock					
5. Groundwater Observed:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	If yes:	Depth to Weeping in Hole			Depth Standing Water in Hole				

Soil Log

Depth (in)	Soil Horizon /Layer	Soil Texture (USDA)	Soil Matrix: Color-Moist (Munsell)	Redoximorphic Features			Coarse Fragments % by Volume		Soil Structure	Soil Consistence (Moist)	Other
				Depth	Color	Percent	Gravel	Cobbles & Stones			
0-8	A	Sandy Loam	10YR2/1		Cnc :				Granular	Friable	
					Dpl:						
8-22	B	Sandy Loam	10YR5/6		Cnc :				Massive	Friable	
					Dpl:						
22-73	C1	Fine Loamy Sand	5Y7/2	22	Cnc :7.5YR5/8		35%		Massive	Friable	
					Dpl:						
73-90	C2	Very Fine Loamy Sand	5Y7/1	73	Cnc :7.5YR5/8		25%		Massive	Friable	
					Dpl:						
					Cnc :						
					Dpl:						



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

Additional Notes:

No Refusal

D. Determination of High Groundwater Elevation

1. Method Used (Choose one):

<input checked="" type="checkbox"/> Depth to soil redoximorphic features	Obs. Hole # <u>TP1-5</u>	Obs. Hole # <u>TP1-7</u>
	<u>26</u> inches	<u>22</u> inches
<input checked="" type="checkbox"/> Depth to observed standing water in observation hole	<u>66</u> inches	inches
<input type="checkbox"/> Depth to adjusted seasonal high groundwater (S _h) (USGS methodology)	inches	inches

Index Well Number

Reading Date

$$S_h = S_c - [S_r \times (OW_c - OW_{max})/OW_r]$$

Obs. Hole/Well# S_c S_r OW_c OW_{max} OW_r S_h

E. Depth of Pervious Material

1. Depth of Naturally Occurring Pervious Material

a. Does at least four feet of naturally occurring pervious material exist in all areas observed throughout the area proposed for the soil absorption system?

Yes No

b. If yes, at what depth was it observed (exclude O, A, and E Horizons)?

Upper boundary: 22 inches Lower boundary: 90 inches

c. If no, at what depth was impervious material observed?

Upper boundary: inches Lower boundary: inches



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

F. Certification

I certify that I am currently approved by the Department of Environmental Protection pursuant to 310 CMR 15.017 to conduct soil evaluations and that the above analysis has been performed by me consistent with the required training, expertise and experience described in 310 CMR 15.017. I further certify that the results of my soil evaluation, as indicated in the attached Soil Evaluation Form, are accurate and in accordance with 310 CMR 15.100 through 15.107.

Signature of Soil Evaluator

Scott Goddard, 893

Typed or Printed Name of Soil Evaluator / License #

Mike Angieri

Name of Approving Authority Witness

11/9/22

Date

6/30/2025


Expiration Date of License

Dover Board of Health

Approving Authority

Note: In accordance with 310 CMR 15.018(2) this form must be submitted to the approving authority within 60 days of the date of field testing, and to the designer and the property owner with [Percolation Test Form 12](#).

Field Diagrams: Use this area for field diagrams:



Commonwealth of Massachusetts

City/Town of Dover

Percolation Test

Form 12

Percolation test results must be submitted with the Soil Suitability Assessment for On-site Sewage Disposal. DEP has provided this form for use by local Boards of Health. Other forms may be used, but the information must be substantially the same as that provided here. Before using this form, check with the local Board of Health to determine the form they use.

Important: When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



A. Site Information

Robert Recchia

Owner Name

Troutbrook Rd (Map 5, Lot 11) - Lot 1 on Site Plan

Street Address or Lot #

Dover

City/Town

Scott Goddard

Contact Person (if different from Owner)

MA

State

02030

Zip Code

508-393-3784

Telephone Number

B. Test Results

	10/5/22 Date	11:45 am Time	10/5/22 Date	2:20 pm Time
Observation Hole #	TP1-5		TP1-7	
Depth of Perc	39"		35"	
Start Pre-Soak	11:45 am		2:20 pm	
End Pre-Soak	Perc doesn't hold water		Perc doesn't hold water	
Time at 12"				
Time at 9"				
Time at 6"				
Time (9"-6")				
Rate (Min./Inch)	< 2 MPI		< 2 MPI	
	Test Passed: <input checked="" type="checkbox"/>	Test Failed: <input type="checkbox"/>	Test Passed: <input checked="" type="checkbox"/>	Test Failed: <input type="checkbox"/>

Scott Goddard, 893

Test Performed By:

Mike Angieri, Dover Board of Health

Board of Health Witness

Comments:



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

A. Facility Information

Robert Recchia

Owner Name

Troutbrook Rd

Street Address

Dover

City

MA
State

Map 5, Lot 12 – Lot 2 on Site Plan

Map/Lot #

02030

Zip Code

B. Site Information

1. (Check one) New Construction Upgrade

2. Soil Survey NRCS WebSoilSurvey Sudbury fine sandy loam 260B
Source Soil Map Unit Soil Series

Outwash plains
Landform

Depth to restrictive feature: 18 to 36 inches to strongly contrasting textural stratification
Soil Limitations

Friable coarse-loamy eolian deposits over loose sandy glaciofluvial deposits

Soil Parent material

3. Surficial Geological Report 2018, Stone Flood-plain alluvium
Year Published/Source Map Unit

Sand, gravel, silt and some organic material, stratified and well sorted to poorly sorted, beneath the flood plains of modern streams

Description of Geologic Map Unit:

4. Flood Rate Insurance Map Within a regulatory floodway? Yes No

5. Within a velocity zone? Yes No

6. Within a Mapped Wetland Area? Yes No If yes, MassGIS Wetland Data Layer:

Wetland Type

7. Current Water Resource Conditions (USGS): 10/5/2022 Range: Above Normal Normal Below Normal

Month/Day/ Year

8. Other references reviewed:
(Zone II, IWPA, Zone A, EEA Data Portal, etc.) MA-DVW 10R DOVER, MA U.S. Geological Survey



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

C. On-Site Review (minimum of two holes required at every proposed primary and reserve disposal area)

Deep Observation Hole Number:	TP2-1 Hole #	10/5/2022 Date	10:40 AM Time	Partly raining, high 50s Weather	42.26043 Latitude	-71.28669 Longitude
1. Land Use	Woodland, vacant lot (e.g., woodland, agricultural field, vacant lot, etc.)	Trees and Shrubs Vegetation	None	Surface Stones (e.g., cobbles, stones, boulders, etc.)	1% Slope (%)	
Description of Location: East side of parcel						
2. Soil Parent Material:	coarse-loamy eolian over sandy glaciofluvial deposits	Outwash plains Landform	Plain Position on Landscape (SU, SH, BS, FS, TS, Plain)			
3. Distances from:	Open Water Body 50+ feet	Drainage Way 50+ feet	Wetlands 50+ feet			
	Property Line 10+ feet	Drinking Water Well 100+ feet	Other _____ feet			
4. Unsuitable Materials Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If Yes: <input type="checkbox"/> Disturbed Soil/Fill Material <input type="checkbox"/> Weathered/Fractured Rock <input type="checkbox"/> Bedrock				
5. Groundwater Observed:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: _____ Depth to Weeping in Hole	_____ Depth to Standing Water in Hole			

Soil Log

Depth (in)	Soil Horizon /Layer	Soil Texture (USDA)	Soil Matrix: Color-Moist (Munsell)	Redoximorphic Features			Coarse Fragments % by Volume		Soil Structure	Soil Consistence (Moist)	Other
				Depth	Color	Percent	Gravel	Cobbles & Stones			
0-46	Fill	Loose Gravel, No Structure	NA		Cnc :				NA	NA	
					Dpl:						
46-64	Ab	Sandy Loam	10YR2/1		Cnc :				Granular	Friable	
					Dpl:						
64-98	C1	Medium Sand	5Y7/2	64"	Cnc :7.5YR5/8	35%	20%		Single Grain	Loose	
					Dpl:						
98-115	C2	Sandy Loam	5Y7/1	98"	Cnc :7.5YR5/8	25%			Massive	Very Friable	
					Dpl:						

Additional Notes:

No Refusal. Alternatively the Fill layer would be deducted from the depth of the Soil Horizons.



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

C. On-Site Review (minimum of two holes required at every proposed primary and reserve disposal area)

Deep Observation Hole Number:	TP2-2	Hole #	10/5/2022	Date	10:40 AM	Time	Partly raining	Weather	42.26043	Latitude	-71.28669	Longitude
1. Land Use:	Woodland, vacant lot (e.g., woodland, agricultural field, vacant lot, etc.)	Vegetation	grass, trees, poison ivy	None	Surface Stones (e.g., cobbles, stones, boulders, etc.)						1%	Slope (%)
Description of Location: east side of parcel												
2. Soil Parent Material:	coarse-loamy eolian over sandy glaciofluvial deposits	Landform	Outwash plains	Plain	Position on Landscape (SU, SH, BS, FS, TS, Plain)							
3. Distances from:	Open Water Body	50+ feet	Drainage Way	50+ feet	Wetlands	50+ feet						
	Property Line	10+ feet	Drinking Water Well	100+ feet	Other	feet						
4. Unsuitable Materials Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If Yes:	<input type="checkbox"/> Disturbed Soil/Fill Material	<input type="checkbox"/> Weathered/Fractured Rock	<input type="checkbox"/> Bedrock							
5. Groundwater Observed:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: _____ Depth to Weeping in Hole		_____ Depth Standing Water in Hole								

Soil Log

Depth (in)	Soil Horizon /Layer	Soil Texture (USDA)	Soil Matrix: Color-Moist (Munsell)	Redoximorphic Features			Coarse Fragments % by Volume		Soil Structure	Soil Consistence (Moist)	Other
				Depth	Color	Percent	Gravel	Cobbles & Stones			
0-61	Fill	Loose Gravel	NA		Cnc :				NA	NA	
					Dpl:						
61-74	Ab	Sandy Loam	10YR2/1		Cnc :				Granular	Friable	
					Dpl:						
74-86	C1	Medium Sand	5Y7/2	74"	Cnc :7.5YR5/8	35%	20%		Single Grain	Loose	
					Dpl:						
86-115	C2	Very Fine Sandy Loam	5Y7/1	86"	Cnc :5YR5/8	25%			Massive	Very Friable	
					Dpl:						
					Cnc :						
					Dpl:						
					Cnc :						
					Dpl:						

Additional Notes:

No Refusal. Alternatively the Fill layer would be deducted from the depth of the Soil Horizons.



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

D. Determination of High Groundwater Elevation

1. Method Used (Choose one):

Depth to soil redoximorphic features

Obs. Hole #TP2-1

Obs. Hole #TP2-2

Depth to observed standing water in observation hole

64 inches

74 inches

Depth to adjusted seasonal high groundwater (S_h)
(USGS methodology)

 inches

 inches

Index Well Number

Reading Date

$$S_h = S_c - [S_r \times (OW_c - OW_{max})/OW_r]$$

Obs. Hole/Well#

S_c

S_r

OW_c

OW_{max}

OW_r

S_h

E. Depth of Pervious Material

1. Depth of Naturally Occurring Pervious Material

a. Does at least four feet of naturally occurring pervious material exist in all areas observed throughout the area proposed for the soil absorption system?

Yes No

b. If yes, at what depth was it observed (exclude O, A, and E Horizons)?

Upper boundary: 64
inches

Lower boundary: 115
inches

c. If no, at what depth was impervious material observed?

Upper boundary:
inches

Lower boundary:
inches



Commonwealth of Massachusetts
City/Town of Dover

Form 11 - Soil Suitability Assessment for On-Site Sewage Disposal

F. Certification

I certify that I am currently approved by the Department of Environmental Protection pursuant to 310 CMR 15.017 to conduct soil evaluations and that the above analysis has been performed by me consistent with the required training, expertise and experience described in 310 CMR 15.017. I further certify that the results of my soil evaluation, as indicated in the attached Soil Evaluation Form, are accurate and in accordance with 310 CMR 15.100 through 15.107.

Signature of Soil Evaluator

Scott Goddard, 893

Typed or Printed Name of Soil Evaluator / License #

Mike Angieri

Name of Approving Authority Witness

11/9/22

Date

6/30/2025

Expiration Date of License

Dover Board of Health

Approving Authority

Note: In accordance with 310 CMR 15.018(2) this form must be submitted to the approving authority within 60 days of the date of field testing, and to the designer and the property owner with [Percolation Test Form 12](#).

Field Diagrams: Use this area for field diagrams: